

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/11/2020 Supersedes: 10/19/2015

### **SECTION 1: Identification**

### Identification

Product form : Mixture Product name : 3100-A Product code : 3100-A

Other means of identification : 3100-A/5, 3100-A/55

#### 1.2. Recommended use and restrictions on use

#### 1.3. **Supplier**

Protective Industrial Polymers 7875 Bliss Parkway North Ridgeville, Ohio 44039 - USA-Ohio T 440-327-0015 www.protectpoly.com

#### 1.4. **Emergency telephone number**

**Emergency number** : CHEMTREC: 800-424-9300 (Outside USA) 703-527-3887.

## SECTION 2: Hazard(s) identification

### Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation H315 Causes skin irritation

Category 2

Serious eye damage/eye H319 Causes serious eye irritation

irritation Category 2A Skin sensitization Category

May cause an allergic skin reaction H317

Specific target organ

toxicity (single exposure)

Category 3

Specific target organ H372

toxicity (repeated exposure) Category 1

Full text of H statements : see section 16

May cause respiratory irritation

Causes damage to organs (Skin) through prolonged or repeated exposure (Dermal)

### GHS Label elements, including precautionary statements

H335

### **GHS US labeling**

Hazard pictograms (GHS-US)





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation

H372 - Causes damage to organs (Skin) through prolonged or repeated exposure (Dermal)

Precautionary statements (GHS-US) : P260 - Do not breathe vapors

P261 - Avoid breathing vapors

P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear protective clothing

P302+P352 - If on skin: Wash with plenty of soap

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

08/11/2020 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if symptoms persist. if you feel unwell

P314 - Get medical advice/attention if you feel unwell

P321 - Specific treatment (see Call a doctor if symptoms persist. on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to in accordance with local regulations

#### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane)	(CAS-No.) 25068-38-6	85 – 95	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
2,3-Epoxypropyl neodecanoate	(CAS-No.) 26761-45-5	5 – 15	Skin Irrit. 2, H315

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Heating may cause a fire.

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

08/11/2020 EN (English US) 2/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe vapors. Avoid contact with skin and eyes.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe vapors. Use only outdoors or in a well-ventilated area. Avoid contact with skin

and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

5 1

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Incompatible products : No specific data.

Incompatible materials : No known incompatible materials.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# 3100-A

No additional information available

### (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)

No additional information available

### 2,3-Epoxypropyl neodecanoate (26761-45-5)

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Protective gloves

### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

08/11/2020 EN (English US) 3/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Personal protective equipment symbol(s):



# **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Physical state : Liquid Color : light yellow Odor : characteristic Odor threshold : No data available рΗ : No data available Melting point : Not applicable Freezing point No data available **Boiling point** : No data available

: 230 °F Flash point

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available : No data available Relative density Specific gravity / density : 1.13 g/cm<sup>3</sup> Solubility : Immiscible. Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available **Explosion limits** 

### Other information

Explosive properties

Oxidizing properties

No additional information available

# **SECTION 10: Stability and reactivity**

### Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. **Chemical stability**

Stable under normal conditions.

### Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# **Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

### Incompatible materials

No additional information available

## **Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

No data available

: No data available

08/11/2020 EN (English US) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)	
LD50 oral rat	> 2000 mg/kg (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)

2,3-Epoxypropyl neodecanoate (26761-45-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	> 240 mg/m³ (4 h, Rat, Expert judgement, Inhalation (vapours))
LC50 inhalation rat (ppm)	> 26 ppm (4 h, Rat, Expert judgement, Inhalation (vapours))

 Skin corrosion/irritation
 : Causes skin irritation.

 Serious eye damage/irritation
 : Causes serious eye irritation.

 Respiratory or skin sensitization
 : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : May cause respiratory irritation.

Specific target organ toxicity - repeated

exposure

: Causes damage to organs (Skin) through prolonged or repeated exposure (Dermal).

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Eye irritation.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)		
LC50 fish 1	2.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration)	
EC50 Daphnia 1	1.1 – 2.8 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 (algae)	> 11 mg/l (EPA 660/3 - 75/009, 72 h, Scenedesmus sp., Static system, Fresh water, Experimental value)	
2,3-Epoxypropyl neodecanoate	(26761-45-5)	
LC50 fish 1	5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)	
EC50 Daphnia 1	4.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 (algae)	2.9 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	

## 12.2. Persistence and degradability

08/11/2020 EN (English US) 5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)	
Persistence and degradability	Not readily biodegradable in water.
2,3-Epoxypropyl neodecanoate (26761-45-5)	
2,3-Epoxypropyl neodecanoate (26/61-45-5)	

### 12.3. Bioaccumulative potential

(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)		
BCF other aquatic organisms 1	31 (Estimated value, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	2.64 – 3.78 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
2,3-Epoxypropyl neodecanoate (26761-45-5)		
Partition coefficient n-octanol/water (Log Pow)	4.4 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).	

### 12.4. Mobility in soil

(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)	
Surface tension	58.7 – 58.9 mN/m (20 °C, EU Method A.5: Surface tension)
Partition coefficient n-octanol/water (Log Koc)	2.65 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Low potential for adsorption in soil.
2,3-Epoxypropyl neodecanoate (26761-45-5)	
Surface tension	0.0789 N/m (21 °C, 0.063 g/l)
Partition coefficient n-octanol/water (Log Koc)	2.16 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for adsorption in soil.

#### 12.5. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

# **Department of Transportation (DOT)**

In accordance with DOT

Proper Shipping Name (DOT) : Not Regulated

Other information : No supplementary information available.

**Transportation of Dangerous Goods** 

Proper Shipping Name (Transportation of

Dangerous Goods)

: Not Regulated

# Transport by sea

Transport document description (IMDG) : UN 3082 Environmentally Hazardous Substance, Liquid, N.O.S (Epoxide Derivatives), 9, III

UN-No. (IMDG) : 3082

Proper Shipping Name (IMDG) : Environmentally Hazardous Substance, Liquid, N.O.S (Epoxide Derivatives)

Class (IMDG) : 9 - Miscellaneous dangerous compounds
Packing group (IMDG) : III - substances presenting low danger

08/11/2020 EN (English US) 6/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Air transport

Transport document description (IATA) : UN 3082 Environmentally Hazardous Substance, Liquid, N.O.S (Epoxide Derivatives), III

UN-No. (IATA) : 3082

Proper Shipping Name (IATA) : Environmentally Hazardous Substance, Liquid, N.O.S (Epoxide Derivatives)

Packing group (IATA) : III - Minor Danger

# **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

#### 3100-A

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 2,3-Epoxypropyl neodecanoate (26761-45-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### **CANADA**

No additional information available

**EU-Regulations** 

No additional information available

**National regulations** 

No additional information available

### 15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases:

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H372	Causes damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard


 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

08/11/2020 EN (English US) 7/7