

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/21/2015

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: 3800-A
Product code	: 3800-A
Other means of identification	: 3800-A/1, 3800-A/5
1.2. Relevant identified uses of the sub	ostance or mixture and uses advised against
No additional information available	
1.3. Details of the supplier of the safet	y data sheet
Protective Industrial Polymers 7875 Bliss Parkway North Ridgeville, Ohio 44039 - USA-Ohio T 440-327-0015 www.protectpoly.com	
1.4. Emergency telephone number	
Emergency number	: Chemtrec: 800427-9300 (Outside USA) 703-527-3887
SECTION 2: Hazard(s) identification	n
2.1. Classification of the substance or	
GHS-US classification	
Skin corrosion/irritation, Category 2 H315	
Sensitisation — Skin, Category 1 H317	
Full text of H statements : see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	
	GHS07
Signal word (GHS-US)	: Warning
Contains	: (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane); Alkyl (C12-C14) Glycidyl Ether
Hazard statements (GHS-US)	: H315 - Causes skin irritation H317 - May cause an allergic skin reaction
Precautionary statements (GHS-US)	 P261 - Avoid breathing vapours P264 - Wash hands thoroughly after handling P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective clothing P302+P352 - If on skin: Wash with plenty of soap P321 - Specific treatment (see a doctor if symptoms do not go away. on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P363 - Wash contaminated clothing before reuse P501 - Dispose of contents/container to in accordance with local regulations
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane)	(CAS No) 25068-38-6	70 - 80	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Xylene Formaldehyde Resin	(CAS No) 26139-75-3	10 - 15	Skin Irrit. 2, H315
Alkyl (C12-C14) Glycidyl Ether	(CAS No) 68609-97-2	5 - 10	Skin Irrit. 2, H315 Skin Sens. 1, H317
Phenol,4-nonyl-,branched	(CAS No) 84852-15-3	0 - 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after skin contact	: When symptoms occur: rinse immediately with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	Do NOT induce vomiting.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries	: Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Irritation of the eye tissue. Skin rash/inflammation.
Symptoms/injuries after inhalation	: May cause irritation or asthma-like symptoms. May cause respiratory irritation.
Symptoms/injuries after skin contact	Causes skin irritation.
Symptoms/injuries after eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol resistant foam, water, water fog, CO2, dry chemical, dry sand, limestone powder.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: No data available on direct fire hazard.
Reactivity	: Polymerizes on exposure to some compounds e.g. amines, sulphurized compounds and (some) acids: release of heat.
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance.
SECTION 6: Accidental release measures	

6.1.	Personal precautions, protective equi	ipment and emergency procedures
General n	neasures	: Absorb spillage to prevent material damage.
	For non-emergency personnel onal information available	
	For emergency responders onal information available	
6.2.	Environmental precautions	
Prevent e	ntry to sewers and public waters.	

Safety Data Sheet

0.0 Mathematic and material f	
6.3. Methods and material for con	
For containment	: Collect spillage. Contain leaking substance. Dam up the liquid spill.
Methods for cleaning up	 Absorb spillage to prevent material damage. Cover the solid spill with dry sand/earth/vermiculite soda ash or powdered limestone.
Other information	: Dispose in a safe manner in accordance with local/national regulations.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and stora	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storage conditions	: Keep container closed when not in use. Keep only in original container. Store in a dry place. Store in a closed container.
Storage area	: Keep container in a well-ventilated place.
SECTION 8: Exposure controls	personal protection
8.1. Control parameters	
(Phenol, 4,4'-(1-methylethylidene)bis-	, polymer with (chloromethyl)oxirane) (25068-38-6)
Not applicable	
Alkyl (C12-C14) Glycidyl Ether (68609	-97-2)
	,
Not applicable	
Phenol,4-nonyl-,branched (84852-15-3	3)
Phenol,4-nonyl-,branched (84852-15-3 Not applicable	
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-7	
Phenol,4-nonyl-,branched (84852-15-3 Not applicable	
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-7	
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-7 Not applicable	
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-7 Not applicable	
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-75 Not applicable 8.2. Exposure controls Appropriate engineering controls	5-3)
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-74 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment	 5-3) : Ensure good ventilation of the work station. : Wash hands and other exposed areas with mild soap and water before eating, drinking or
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-75 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves.
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-75 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection Eye protection	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves. Chemical goggles or safety glasses.
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-75 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves.
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-75 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection Eye protection Skin and body protection Respiratory protection	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves. Chemical goggles or safety glasses. Wear suitable protective clothing. In case of inadequate ventilation wear respiratory protection.
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-74 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chem	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves. Chemical goggles or safety glasses. Wear suitable protective clothing. In case of inadequate ventilation wear respiratory protection.
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-74 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection Exposure controls Skin and body protection Respiratory protection SECTION 9: Physical and chem 9.1.	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves. Chemical goggles or safety glasses. Wear suitable protective clothing. In case of inadequate ventilation wear respiratory protection.
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-74 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chem	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves. Chemical goggles or safety glasses. Wear suitable protective clothing. In case of inadequate ventilation wear respiratory protection.
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-74 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chem 9.1. Information on basic physical Physical state	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves. Chemical goggles or safety glasses. Wear suitable protective clothing. In case of inadequate ventilation wear respiratory protection.
Phenol,4-nonyl-,branched (84852-15-3 Not applicable Xylene Formaldehyde Resin (26139-75 Not applicable 8.2. Exposure controls Appropriate engineering controls Personal protective equipment Hand protection Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chem 9.1. Information on basic physical Physical state Colour	 5-3) Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Gloves. Chemical goggles or safety glasses. Wear suitable protective clothing. In case of inadequate ventilation wear respiratory protection.

Freezing point: No data aBoiling point: ≈ 428 °F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: 9.5
Solubility	 Water: Solubility in water of component(s) of the mixture : (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane): mg/l (insoluble) 5.4-8.4 • Phenol,4-nonyl-,branched: 5.7 mg/l (25 °C, insoluble)
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Polymerizes on exposure to some compounds e.g. amines, sulphurized compounds and (some) acids: release of heat.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Refer to Section 10 on Incompatible Materials.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. fume.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure	: Dermal; Ingestion; Inhalation; Skin and eye contact	
Acute toxicity	: Not classified	
(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)		
LD50 oral rat	> 2000 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Experimental value)	
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
Phenol,4-nonyl-,branched (84852-15-3)		
LD50 oral rat	1882 mg/kg (Rat; Other; Experimental value; 1412 mg/kg bodyweight; Rat; Experimental value)	
ATE US (oral)	1882.000 mg/kg bodyweight	
ATE US (dermal)	2040.000 mg/kg bodyweight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

40.4

Safety Data Sheet

a set a te

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation or asthma-like symptoms. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.

SECTION 12: Ecological information

12.1. Toxicity		
3800-A		
LC50 fish 1	3 mg/kg	
(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)		
LC50 fish 2	2.3 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Semi-static system; Fresh water; Experimental value)	
EC50 Daphnia 2	1.1 - 2.8 mg/l (EC50; Equivalent or similar to OECD 202; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
Phenol,4-nonyl-,branched (84852-15-3)		
EC50 Daphnia 2	0.085 mg/l (EC50; ASTM E729-88; 48 h; Daphnia magna; Semi-static system; Fresh water; Experimental value)	
Threshold limit algae 2	0.027 mg/l (EC50; EPA OTS 797.1050; 96 h; Skeletonema costatum; Static system; Salt water; Experimental value)	

12.2. Persistence and degradability

(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)		
Persistence and degradability	Not readily biodegradable in water. Hydrolysis in water. Low potential for adsorption in soil.	
Phenol,4-nonyl-,branched (84852-15-3)		
Persistence and degradability	Inherently biodegradable. Biodegradability in soil: no data available. Adsorbs into the soil. Photodegradation in the air.	

12.3. Bioaccumulative potential

(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)		
BCF other aquatic organisms 1	3 - 31 (BCF)	
Log Pow	>= 2.918 (Experimental value; EU Method A.8: Partition Coefficient; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Phenol,4-nonyl-,branched (84852-15-3)		
BCF fish 1	271 (BCF; 480 h; Pimephales promelas)	
BCF fish 2	1200/1300,BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 32 days; Gasterosteus aculeatus; Flow-through system; Salt water; Experimental value; Fresh weight	
Log Pow	3.28 (OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 5.4; Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 23 °C)	
Bioaccumulative potential	Potential for bioaccumulation (500 \leq BCF \leq 5000).	

12.4. Mobility in soil

(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)	
Surface tension	0.0 587-0.0589,20 °C
Log Koc	log Koc,SRC PCKOCWIN v2.0; 2.65; QSAR
Phenol,4-nonyl-,branched (84852-15-3)	
Log Koc	log Koc,Other; >= 4.35 - <= 5.69; Experimental value; GLP

12.5. Other adverse effects

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Effect on the global warming

: No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Other information

: Disclaimer: This SDS to the best of our knowledge conforms to the requirements of OSHA 20 CFR 1910.1200 and summarizes the health and safety hazard information and general guidance on how to safely handle the material at the date of issue. Each user must review the SDS in the context of how the product will be handled and used in the workplace.

Full text of H-statements:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	•
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product