

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/01/2016

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : UCCP-XXX
Product code : UCCP-XXX

Other means of identification : UCCP-XXX/SSF, UCCPE-XXX/Q, UCCP-XXX/P, UCCP-XXX/HP

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Protective Industrial Polymers 7875 Bliss Parkway North Ridgeville, Ohio 44039 - USA-Ohio T 440-327-0015 www.protectpoly.com

1.4. Emergency telephone number

Emergency number : Chemtrec: 800-427-9300 (Outside USA) 703-527-3887

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation, Category 2 H315 Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

Precautionary statements (GHS-US) : P264 - Wash hands, forearms and face thoroughly after handling

P280 - Wear protective clothing

P302+P352 - If on skin: Wash with plenty of soap

P321 - Specific treatment (see a doctor if symptoms do not go away. on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

02/16/2016 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Titanium Dioxide	(CAS No) 13463-67-7	0 - 86	Carc. 2, H351
Iron Oxide	(CAS No) 1309-37-1	0 - 75	Not classified
Carbon black	(CAS No) 1333-86-4	0 - 50	Carc. 2, H351
copper Compounds	(CAS No) 7440-50-8	0 - 35	Skin Irrit. 2, H315
Aluminium Hydroxide	(CAS No) 21645-51-2	0 - 4	Not classified
1-methyl-2-pyrrolidone	(CAS No) 872-50-4	0 - 3	Flam. Liq. 4, H227

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

02/16/2016 EN (English) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Iron Oxide (1309-37-1)		
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (Iron oxide (Fe2O3); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
ACGIH	Remark (ACGIH)	Pneumoconiosis
OSHA	OSHA PEL (TWA) (mg/m³)	10 mg/m³
1-methyl-2-pyrrolidon	e (872-50-4)	
Not applicable		
Aluminium Hydroxide	(21645-51-2)	
ACGIH	ACGIH TWA (mg/m³)	1 mg/m³ (Aluminium, insoluble compounds; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
Not applicable		
Titanium Dioxide (134	163-67-7)	
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³ (Titanium dioxide; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	LRT irr; A3
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³
Carbon black (1333-86	6-4)	
ACGIH	ACGIH TWA (mg/m³)	3 mg/m³ (Carbon black; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)
ACGIH	Remark (ACGIH)	Bronchitis
OSHA	OSHA PEL (TWA) (mg/m³)	3.5 mg/m³
copper Compounds (7	7440-50-8)	·

8.2. Exposure controls

ACGIH

Not applicable

Appropriate engineering controls : Ensure good ventilation of the work station.

ACGIH TWA (mg/m³)

Hand protection : Protective gloves. Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colored Liquid.

Colour : Colored

Odour : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour(s):

0.2 mg/m³ (Copper fume; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)

Odourless Mild odour Amine-like odour Smell of fish

Odour threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available

02/16/2016 EN (English) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point : No data available Flash point : No data available Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : No data available **Explosive limits** : No data available Explosive properties : No data available : No data available Oxidising properties Vapour pressure No data available Relative density : No data available Relative vapour density at 20 °C No data available

Solubility : Water: Solubility in water of component(s) of the mixture :

• Iron Oxide: < 0.1 g/100ml • 1-methyl-2-pyrrolidone: 100 g/100ml (20 °C, soluble) • Aluminium Hydroxide: < 0.01 g/100ml • Titanium Dioxide: 0.15 g/100ml • Carbon black: <

0.01 g/100ml • copper Compounds: < 0.1 g/100ml (30 °C)

Log Pow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Iron Oxide (1309-37-1)		
LD50 oral rat	> 5000 mg/kg (Rat; Literature study)	
1-methyl-2-pyrrolidone (872-50-4)		
LD50 oral rat	3914 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 4150 mg/kg bodyweight; Rat; Experimental value)	
ATE US (oral)	3914.000 mg/kg bodyweight	
ATE US (dermal)	7000.000 mg/kg bodyweight	
Aluminium Hydroxide (21645-51-2)		
LD50 oral rat	> 5000 mg/kg (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Weight of evidence; >2000 mg/kg bodyweight; Rat; Experimental value)	

02/16/2016 EN (English) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

coording to Federal Register / Vol. 77, No. 58 / Monday,	IvialU1 20, 2012 / Nules and Negulations
Titanium Dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	> 6.8 mg/l/4h (Rat; Experimental value)
Carbon black (1333-86-4)	
LD50 oral rat	> 8000 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value)
LD50 dermal rabbit	> 3000 mg/kg (Rabbit)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Iron Oxide (1309-37-1)	
IARC group	3 - Not classifiable
Titanium Dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
Carbon black (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after skin contact	: Irritation.

SECTION 12: Ecological information

12.1	Tox	icity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Iron Oxide (1309-37-1)		
LC50 fish 1	> 1000 mg/l (LC50; 48 h)	
1-methyl-2-pyrrolidone (872-50-4)		
LC50 fish 1	3048 mg/l (LC50; 96 h; Salmo gairdneri)	
EC50 Daphnia 1	4897 mg/l (EC50; 48 h; Daphnia magna)	
Threshold limit algae 1	> 500 mg/l (EC50)	
Threshold limit algae 2	600.5 mg/l (EC50; DIN 38412-9; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)	
Aluminium Hydroxide (21645-51-2)		
LC50 fish 1	> 10000 mg/l (LC50; 96 h; Pisces)	
EC50 Daphnia 1	> 10000 mg/l (EC50; 48 h; Daphnia magna)	
Titanium Dioxide (13463-67-7)		
EC50 Daphnia 1	> 100 mg/l (LC50; Equivalent or similar to OECD 202; 48 h; Daphnia magna; Static system; Fresh water; Weight of evidence)	
Threshold limit algae 1	61 mg/l (EC50; Other; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)	
Carbon black (1333-86-4)		
LC50 fish 1	> 1000 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)	
EC50 Daphnia 1	> 5600 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 24 h; Daphnia magna; Static system; Fresh water)	

02/16/2016 EN (English) 5/9

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carbon black (1333-86-4)		
LC50 fish 2	1000 mg/l (LC0; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value)	
Threshold limit algae 1	> 10000 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Scenedesmus subspicatus; Static system; Fresh water; Experimental value)	
copper Compounds (7440-50-8)		
LC50 fish 1	200 μg/l (LC50; 96 h; Salmo gairdneri; Flow-through system; Fresh water)	
EC50 Daphnia 1	109 - 798 μg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Weight of evidence)	
Threshold limit algae 1	230 μg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Weight of evidence)	

12.2. Persistence and degradability

Iron Oxide (1309-37-1)		
Persistence and degradability	Biodegradability: not applicable. Adsorbs into the soil.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
1-methyl-2-pyrrolidone (872-50-4)		
Persistence and degradability	Readily biodegradable in water. Inherently biodegradable. Biodegradable in the soil. Highly mobile in soil. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	1.07 g O₂/g substance	
Chemical oxygen demand (COD)	1.56 g O₂/g substance	
ThOD	1.9 g O₂/g substance	
BOD (% of ThOD)	0.56	
Aluminium Hydroxide (21645-51-2)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.	
ThOD	Not applicable (inorganic)	
Titanium Dioxide (13463-67-7)		
Persistence and degradability	Biodegradability: not applicable. Low potential for mobility in soil.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
Carbon black (1333-86-4)		
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil.	
ThOD	Not applicable	
copper Compounds (7440-50-8)		
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	

12.3. **Bioaccumulative potential**

Iron Oxide (1309-37-1)		
Bioaccumulative potential	No bioaccumulation data available.	
1-methyl-2-pyrrolidone (872-50-4)		
Log Pow	-0.730.46 (Experimental value; Experimental value; OECD 107: Partition Coefficient (noctanol/water): Shake Flask Method)	
Bioaccumulative potential	Not bioaccumulative.	

02/16/2016 EN (English) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aluminium Hydroxide (21645-51-2)	
Bioaccumulative potential	Not bioaccumulative.
Titanium Dioxide (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.
Carbon black (1333-86-4)	
Bioaccumulative potential	Not bioaccumulative.
copper Compounds (7440-50-8)	
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

1-methyl-2-pyrrolidone (872-50-4)	
Surface tension	0.407 N/m
Log Koc	Koc,20.94; Calculated value; log Koc; 1.32; Calculated value

Carbon black (1333-86-4)	
Ecology - soil	Not toxic to plants. Not toxic to animals.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

UCCP-XXX

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

1-methyl-2-pyrrolidone (872-50-4)

Subject to reporting requirements of United States SARA Section 313

copper Compounds (7440-50-8)				
Subject to reporting requirements of United States SARA Section 313				
CERCLA RQ	5000 lb			

15.2. International regulations

CANADA

No additional information available

02/16/2016 EN (English) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

Titanium Dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

Carbon black (1333-86-4)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

1-methyl-2-pyrrolidone (872-50-4)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)		
No	Yes	No	No	3200		

Titanium Dioxide (13463-67-7)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)		
Yes	No	No	No			
Carbon black (1333-86-4)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)		

No

Iron Oxide (1309-37-1)

Yes

U.S. - New Jersey - Right to Know Hazardous Substance List

No

1-methyl-2-pyrrolidone (872-50-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

Titanium Dioxide (13463-67-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

Carbon black (1333-86-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

copper Compounds (7440-50-8)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Other information

: Disclaimer: This SDS to the best of our knowledge conforms to the requirements of OSHA 20 CFR 1910.1200 and summarizes the health and safety hazard information and general guidance on how to safely handle the material at the date of issue. Each user must review the SDS in the context of how the product will be handled and used in the workplace.

No

Full text of H-statements:

H227	Combustible liquid
H315	Causes skin irritation
H351	Suspected of causing cancer

02/16/2016 EN (English) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/16/2016 EN (English) 9/9